

### WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

#### 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name / designation WOLFRAMELEKTROD WZ10 203341300

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

RELEVANT IDENTIFIED USES Welding products

### 1.3 Details of the supplier of the safety data sheet

#### NATIONAL MANUFACTURER/IMPORTER

Enterprise Luna Verktyg & Maskin AB

Postal code 441 80 Alingsås

**Country** Sverige

E-mail mikael.olsson@luna.se

 Internet
 www.luna.se

 Telephone
 +46 322 60 60 00

 Fax
 +46 60 64 43

#### **CONTACT PERSONS**

Name E-mail Telephone Country

Mikael Olsson

# 2 Hazards identification

#### 2.1 Classification of the substance or mixture

DPD Classification:

**CLP Classification:** 

Most important HSE hazard effects:

#### 2.2 Label elements

Signal word: None

EC-Label: No

#### COMPOSITION

Wolfram (90 - 100 %), Zirkoniumoxid (0,7 - 0,9 %)

#### 2.3 Other hazards

### 3 Composition/information on ingredients

### 3.2 Mixtures

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Wolfram		231-143-9	7440-33-7	90 - 100 %		
Zirkoniumoxid		215-227-2	1314-23-4	0,7 - 0,9		Skin Irrit. 2 H315 Eye Irrit. 2 H319 Resp. Sens. 1B H334

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.



#### WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

#### 4 First aid measures

## 4.1 Description of first aid measures

#### INHALATION

Move the exposed person to fresh air at once.

#### INGESTION

Rinse the mouth with water. Contact physician if larger quantity has been consumed. Get medical attention if any discomfort continues.

#### SKIN CONTACT

Wash skin with soap and water. In the event of burn injury: Cool immediately with large quantities of water. Contact physician.

#### **EYE CONTACT**

Immediately rinse with water for several minutes. Get medical attention if any discomfort continues.

#### **GENERAL**

Get medical attention if any discomfort continues. Bring the safety data sheet. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS!Keep the injured person warm and relaxed. In the event of electric shock: Switch off the power source. If necessary, start resuscitation and call a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

### 4.3 Indication of any immediate medical attention and special treatment needed

### 5 Fire-fighting measures

#### 5.1 Extinguishing media

#### SUITABLE EXTINGUISHING MEDIA:

Extinguishing agent: cement or dry sand. Salt

#### UNSUITABLE EXTINGUISHING MEDIA

Do not use water.

#### 5.2 Special hazards arising from the substance or mixture

### **SPECIAL HAZARDS**

Vapours that are harmful to health are formed on heating. Note the risk of dust explosion. May ignite other combustible materials.

### 5.3 Advice for fire-fighters

#### **ADVICE FOR FIREFIGHTERS**

Vapours that are harmful to health are formed on heating. Use a fresh-air mask. Wear necessary protective equipment.

#### 6 Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

#### PERSONAL PRECAUTIONS

Use personal protective equipment.

### 6.2 Environmental precautions



## WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

#### **ENVIRONMENTAL PRECAUTIONS**

Prevent the spillage from reaching watercourses or the sewage system and contaminating the soil and vegetation. Inform the emergency service in the event of major spillage.

### 6.3 Methods and material for containment and cleaning up

#### **METHODS AND MATERIAL**

Smaller spill: Flush with plenty of water to clean spillage area. Major spillage should be banked with sand, earth or other inert absorption material and collected. Can be dumped as landfill or incinerated in accordance with local regulations.

#### 6.4 Reference to other sections

# 7 Handling and Storage

#### 7.1 Precautions for safe handling

#### PRECAUTION FOR SAFE HANDLING

Use only in well-ventilated areas. If necessary, boosted ventilation, e.g. local extraction. Avoid dust formation.

## 7.2 Conditions for safe storage, including any incompatibilities

#### CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep in a cool place. Store dry.

## 7.3 Specific end uses

### 8 Exposure controls / Personal protection

#### 8.1 Control parameters

### OEL value

Ingredient name	CAS no.	Range	ppm	mg/m3	Year	Notification
Wolfram	7440-33-7	8 h		5		
R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic						

#### 8.2 Exposure controls

## APPROPRIATE ENGINEERING CONTROLS

Effective ventilation is a prerequisite. If necessary, boosted ventilation, e.g. local extraction. Avoid direct contact. Avoid handling which leads to dust formation.

#### **EYE PROTECTION**

Use approved safety goggles or face shield.

#### SKIN PROTECTION

Use welding gloves, helmet with visor and filter glass or face mask with filter glass.

#### HAND PROTECTION

Wear suitable gloves. Wash skin with soap and water. Use appropriate hand lotion to prevent defatting and cracking of skin.

#### RESPIRATORY PROTECTION

In case of insufficient ventilation, wear suitable respiratory equipment.

## 9 Physical and chemical Properties



### WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

### 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Rods.

COLOUR Grey.

ODOUR Odourless.

WATER SOLUBILITY Insoluble in water.

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	~ 3400 °C		
Freezing point	No data		
Initial boiling point and boiling range	~ 5900 °C		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

## 9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	18,82 - 18,97 g/cm <sup>3</sup>	20°C	

Note no. Comments

## 10 Stability and Reactivity

# 10.1 Reactivity

## 10.2 Chemical stability

### CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

## 10.3 Possibility of hazardous reactions

### 10.4 Conditions to avoid

#### **CONDITIONS TO AVOID**

Avoid dust formation.

## 10.5 Incompatible materials

## 10.6 Hazardous decomposition products:

## 11 Toxicological information

## 11.1 Toxicological effects



### WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

Zirkoniumoxid				
Route of exposure	Exposure time	Value/unit	Species	Source
LD50 (Oral)		> 8800 mg/kg		

#### **ACUTE TOXICITY - DERMAL**

Dust may cause irritation.

#### **ACUTE TOXICITY - INHALATION**

Dust may irritate the respiratory tract. When welding, smoke and gases may be formed that are harmful to health.

#### SERIOUS EYE DAMAGE/IRRITATION

Dust may cause irritation.

#### OTHER TOXICOLOGICAL INFORMATION

Avoid dust formation. Irritating to eyes, respiratory system and skin.

### 12 Ecological information

### 12.1 Toxicity

### 12.2 Persistence and degradability

#### **DEGRADABILITY**

Not degradable.

### 12.3 Bioaccumulative potential

### 12.4 Mobility in soil

#### **MOBILITY**

Insoluble in water.

## 12.5 Results of PBT and vPvB assessment

#### 12.6 Other adverse effects

### OTHER INFORMATION

Prevent discharges into the sewage system, watercourses or lakes.

#### 13 Disposal considerations

#### 13.1 Waste treatment methods

#### **GENERAL REGULATIONS**

Non-dangerous waste. Observe local regulations.

### **CATEGORY OF WASTE**

EWC-kod 20 01 4Metals.

## 14 Transport information

Classified as Dangerous Goods:

Nο



## WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

Land transport (ADR/RID) 14.1 UN-No. Not applicable.

Not applicable.

14.2 Proper Shipping Name

Not applicable. 14.3 Class(es)

Hazard Not applicable label(s)

Hazard ID: Not applicable.

hazards

group

14.5

14.4 Packing

**Environmental** 

Tunnel restriction Not applicable.

Not applicable

Not applicable.

code

group

hazards

14.4 Packing

**Environmental** 

14.4 Packing

Environmental

group

hazards

14.5

group

hazards

14.5

14.5

14.4 Packing

Environmental

Inland water ways transport (ADN)

14.1 UN-No. Not applicable.

14.2 Proper Shipping Name

Not applicable.

Not applicable. Not applicable.

Enviromentally hazardous in tank-vessels

14.3 Class(es)

Sea transport (IMDG)

14.1 UN-No. Not applicable.

14.2 Proper Shipping Name

Not applicable.

14 3 Not applicable. Class(es)

Sub Risk: Not applicable. IMDG Code Not applicable. segregation

group Marine

pollutant

EMS:

14.1 UN-No.

Shipping

Name

14.3

Not applicable. Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.2 Proper

Not applicable. Not applicable.

Not applicable.

Class(es) Hazard Not applicable label(s)

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

16 Other information

LIST OF RELEVANT R-PHRASES

R36/37/38 Irritating to eyes, respiratory system and skin.



# WOLFRAMELEKTROD WZ10 203341300

Last changed: 14/06/2012 Internal No: 203341300

### LIST OF RELEVANT H-STATEMENTS

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms of breathing difficulties if inhaled.