

# TIGTRÅD RTI DUPLEX 203070206

Last changed: 14/06/2012

1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name / designation TIGTRÅD RTI DUPLEX 203070206

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.3 Details of the supplier of the safety data sheet

E-mail

#### NATIONAL MANUFACTURER/IMPORTER

| Enterprise  | Luna Verktyg & Maskin AB |
|-------------|--------------------------|
| Postal code | 441 80 Alingsås          |
| Country     | Sverige                  |
| E-mail      | mikael.olsson@luna.se    |
| Internet    | www.luna.se              |
| Telephone   | +46 322 60 60 00         |
| Fax         | +46 60 64 43             |

#### CONTACT PERSONS

Name

Mikael Olsson

### 2 Hazards identification

| 2.1 Classification of the substance or mixture |  |  |  |  |
|--|--|--|--|--|
| DPD Classification:                            | Carc. Cat. 3; R40, R43, Xn; R48  |  |  |  |
| CLP Classification:                            | Skin Sens. 1H317, Carc. 2H351, STOT RE 2H373   |  |  |  |
| Most important HSE<br>hazard effects:          | May cause an allergic skin reaction.Suspected of causing cancer.May cause damage to organs through prolonged or repeated exposure. |  |  |  |

Telephone

#### 2.2 Label elements



Signal word: None

EC-Label: No

#### COMPOSITION

Kol (~ 1 ), Krom (~ 30 ), Koppar (~ 4 ), Manganese (~ 10 ), Molybden (~ 10 ), Nickel. (~ 30 ), P röd (< 0,05 ), Kisel (~ 3 ), Svavel (~ 0,5 ), Brom (~ 0,01 ), Järn (~ 10 ), Titan (~ 0,4 ), cobalt (~ 1 ), Niobium (~ 0,7 ), nitrogen dioxide (~ 0,4 )

| H Statements   |  |  |
|--|--|--|
| May cause an allergic skin reaction.                               |  |  |
| Suspected of causing cancer.                                       |  |  |
| May cause damage to organs through prolonged or repeated exposure. |  |  |
|  |  |  |

Internal No: 203070206

Country



# TIGTRÅD RTI DUPLEX 203070206

Last changed: 14/06/2012

Internal No: 203070206

#### 3 Composition/information on ingredients

| Ingredient name  | Reg.No | EC No.    | CAS No.        | Conc.<br>(wt%) | DPD-Classification        | CLP-classification   |
|------------------|--------|-----------|----------------|----------------|---------------------------|--|
| Kol              |        |           | 7440-44-0      | ~ 1            |                           |  |
| Krom             |        |           | 7440-47-3      | ~ 30           |                           |  |
| Koppar           |        |           | 7440-50-3      | ~ 4            |                           |  |
| Vanganese        |        |           | 7439-96-5      | ~ 10           | Xn,R48                    | STOT RE 2 H373   |
| Molybden         |        |           | 7439-98-7      | ~ 10           |                           |  |
| Nickel.          |        |           | 7440-02-0      | ~ 30           | Xn,Xi,R40 - R43           | Skin Sens. 1 H317<br>Carc. 2 H351  |
| P röd            |        |           | 7723-14-0      | < 0,05         | F,N,R11 - R16 -<br>R52/53 | Unst. Expl. H200<br>Flam. Liq. 2 H225<br>Aquatic Chronic 3<br>H412                   |
| Kisel            |        |           | 7440-21-3      | ~ 3            |                           |  |
| Svavel           |        |           | 7704-34-9      | ~ 0,5          |                           |  |
| Brom             |        |           | 7440-42-8      | ~ 0,01         |                           |  |
| Järn             |        |           | 7439-89-5      | ~ 10           |                           |  |
| Titan            |        |           | 7440-32-6      | ~ 0,4          |                           |  |
| cobalt           |        | 231-158-0 | 7440-48-4      | ~ 1            | Xn,R42/43 - R53           | Resp. Sens. 1<br>H334<br>Skin Sens. 1 H317<br>Aquatic Chronic 4<br>H413              |
| Niobium          |        |           | 7440-03-1      | ~ 0,7          |                           |  |
| nitrogen dioxide |        | 233-272-6 | 10102-44-<br>0 | ~ 0,4          | T+,O,R8 - R26 -<br>R34    | Ox. Gas 1 H270<br>Press. Gas comp.<br>gas<br>Acute Tox. 2 H330<br>Skin Corr. 1B H314 |

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

#### 4 First aid measures

#### 4.1 Description of first aid measures

#### INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

# 4.2 Most important symptoms and effects, both acute and delayed

# 4.3 Indication of any immediate medical attention and special treatment needed

## 5 Fire-fighting measures

## 5.1 Extinguishing media



# TIGTRÅD RTI DUPLEX 203070206

Last changed: 14/06/2012

#### SUITABLE EXTINGUISHING MEDIA:

All common fire extinguishing agents may be used.

#### 5.2 Special hazards arising from the substance or mixture

#### 5.3 Advice for fire-fighters

#### 6 Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### 6.2 Environmental precautions

#### 6.3 Methods and material for containment and cleaning up

METHODS AND MATERIAL

See section 13.

## 6.4 Reference to other sections

## 7 Handling and Storage

# 7.1 Precautions for safe handling

PRECAUTION FOR SAFE HANDLING

No special precautions required.

### 7.2 Conditions for safe storage, including any incompatibilities CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

No special precautions required.

## 7.3 Specific end uses

### 8 Exposure controls / Personal protection

# 8.1 Control parameters

#### OEL value

| Ingredient name           | CAS no.   | Range           | ppm     | mg/m3             | Year | Notification |
|---------------------------|-----------|-----------------|---------|-------------------|------|--------------|
| Koppar                    | 7440-50-3 | 8 h             |         | 0,2               |      |              |
| Brom                      | 7440-42-8 | 8 h             |         | 15                |      |              |
| Järn                      | 7439-89-5 | 8 h             |         | 10                |      |              |
| Titan                     | 7440-32-6 | 8 h             |         | 13                |      |              |
| Niobium                   | 7440-03-1 | 8 h             |         | 0,2               |      |              |
| D. Taula fan namaalustian |           | Constrate state | A Camal | National T. Husin |      | M            |

R=Toxic for reproduction, H=Skin absorption, K=Carcinogenic, A=Sensitising, T=Upper limit, M=Mutagenic

#### OTHER INFORMATION REGARDING LIMIT VALUES AND MONITORING

Possible reaction products i welding fume Manganese oxide, ozon, nitrogen dioxid

#### 8.2 Exposure controls

#### APPROPRIATE ENGINEERING CONTROLS

Use only in well-ventilated areas. Avoid contact with skin. Observe normal hygiene such as washing hands before meals, etc.

#### EYE PROTECTION

Use breathing masks and eye protection when smoke is present.

Internal No: 203070206



# TIGTRÅD RTI DUPLEX 203070206

#### Last changed: 14/06/2012

Internal No: 203070206

#### SKIN PROTECTION

Wear suitable protective clothing. Use a welding helmet during welding

#### HAND PROTECTION

Wear suitable gloves.

#### **RESPIRATORY PROTECTION**

Use breathing masks and eye protection when smoke is present.

#### OTHER INFORMATION

During welding fumes will be formed The fumecontant is depending on the electrode type and the base material Primarily iron oxid, secondarily complex oxides of manganese may be formed Also ozone and nitrogen dioxide can be formed by arc radiation

## 9 Physical and chemical Properties

## 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Electrode Solid form.

COLOUR Metal-coloured.

ODOUR No odour.

| Parameter                               | Value/unit | Method/reference | Observation |
|---|------------|------------------|-------------|
| pH consentrate                          | No data    |                  |             |
| pH in solution                          | No data    |                  |             |
| Melting point                           | 2750 °C    |                  |             |
| Freezing point                          | No data    |                  |             |
| Initial boiling point and boiling range | No data    |                  |             |
| Flash point                             | No data    |                  |             |
| Evaporation rate                        | No data    |                  |             |
| Flammability (solid, gas)               | No data    |                  |             |
| Flammability limits                     | No data    |                  |             |
| Explotion limits                        | No data    |                  |             |
| Vapour pressure                         | No data    |                  |             |
| Vapour density                          | No data    |                  |             |
| Relative density                        | No data    |                  |             |
| Partition coefficient                   | No data    |                  |             |
| Auto-ignition temprature                | No data    |                  |             |
| Decomposition temprature                | No data    |                  |             |
| Viscosity                               | No data    |                  |             |

#### 9.2 Other safety information

Note no.

Comments

#### 10 Stability and Reactivity

#### 10.1 Reactivity

#### 10.2 Chemical stability

#### CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

#### 10.3 Possibility of hazardous reactions



# TIGTRÅD RTI DUPLEX 203070206

Last changed: 14/06/2012

Internal No: 203070206

# 10.4 Conditions to avoid

# CONDITIONS TO AVOID

Strong acids.

10.5 Incompatible materials

10.6 Hazardous decomposition products:

### 11 Toxicological information

11.1 Toxicological effects

12 Ecological information

12.1 Toxicity

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

12.6 Other adverse effects

13 Disposal considerations

#### 13.1 Waste treatment methods GENERAL REGULATIONS

Dump or destroy in accordance with official recommendations and applicable legislation.

# 14 Transport information

Classified as Dangerous Goods: No

| Land transpor                   | t (ADR/RID)     |                                  |                 |  |
|---------------------------------|-----------------|----------------------------------|-----------------|--|
| 14.1 UN-No.                     | Not applicable. | 14.4 Packing<br>group            | Not applicable. |  |
| 14.2 Proper<br>Shipping<br>Name | Not applicable. | 14.5<br>Environmental<br>hazards | Not applicable. |  |
| 14.3<br>Class(es)               | Not applicable. |                                  |                 |  |
| Hazard<br>label(s)              | Not applicable. |                                  |                 |  |
| Hazard ID:                      | Not applicable. | Tunnel<br>restriction<br>code    | Not applicable. |  |

| Inland water wa                                | ys transport (ADN) |                                  |                 |  |
|--|--------------------|----------------------------------|-----------------|--|
| 14.1 UN-No.                                    | Not applicable.    | 14.4 Packing<br>group            | Not applicable. |  |
| 14.2 Proper<br>Shipping<br>Name                | Not applicable.    | 14.5<br>Environmental<br>hazards | Not applicable. |  |
| 14.3 Class(es)                                 | Not applicable.    |                                  |                 |  |
| Enviromentally<br>hazardous in<br>tank-vessels | Not applicable.    |                                  |                 |  |



# TIGTRÅD RTI DUPLEX 203070206

Last changed: 14/06/2012

Internal No: 203070206

| 14.1 UN-No.                       | Not applicable. | 14.4 Packing<br>group            | Not applicable. |  |
|-----------------------------------|-----------------|----------------------------------|-----------------|--|
| 14.2 Proper<br>Shipping<br>Name   | Not applicable. | 14.5<br>Environmental<br>hazards | Not applicable. |  |
| 14.3                              | Not applicable. |                                  |                 |  |
| Class(es)                         |                 |                                  |                 |  |
| Sub Risk:                         | Not applicable. |                                  |                 |  |
| IMDG Code<br>segregation<br>group | Not applicable. |                                  |                 |  |
| Marine<br>pollutant               | Not applicable. |                                  |                 |  |
| EMS:                              | Not applicable. |                                  |                 |  |

|                                 | ,               |                                  |                 |
|---------------------------------|-----------------|----------------------------------|-----------------|
| 14.1 UN-No.                     | Not applicable. | 14.4 Packing<br>group            | Not applicable. |
| 14.2 Proper<br>Shipping<br>Name | Not applicable. | 14.5<br>Environmental<br>hazards | Not applicable. |
| 14.3<br>Class(es)               | Not applicable. |                                  |                 |
| Hazard<br>label(s)              | Not applicable. |                                  |                 |

### 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2 Chemical Safety Assessment

| 16 Othe | 16 Other information  |  |  |  |
|---------|---|--|--|--|
| LIST OF | RELEVANT R-PHRASES  |  |  |  |
| R11     | Highly flammable.   |  |  |  |
| R16     | Explosive when mixed with oxidising substances.   |  |  |  |
| R26     | Very toxic by inhalation.   |  |  |  |
| R34     | Causes burns.   |  |  |  |
| R40     | Limited evidence of a carcinogenic effect.  |  |  |  |
| R42/43  | May cause sensitisation by inhalation and skin contact.                                       |  |  |  |
| R43     | May cause sensitisation by skin contact.  |  |  |  |
| R48     | Danger of serious damage to health by prolonged exposure.                                     |  |  |  |
| R52/53  | Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |  |  |  |
| R53     | May cause long-term adverse effects in the aquatic environment.                               |  |  |  |
| R8      | Contact with combustible material may cause fire.   |  |  |  |

#### LIST OF RELEVANT H-STATEMENTS

Unstable explosive. H200 H225 Highly flammable liquid and vapour. H270 May cause or intensify fire; oxidizer. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. Fatal if inhaled. H330 May cause allergy or asthma symptoms of breathing difficulties if inhaled. H334 H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life.