

### **WOLFRAMELEKTROD GRÅ 72323405**

Last changed: 23/08/2012 Replaces date: 31/08/2010 Internal No: 72323405

### 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name / designation WOLFRAMELEKTROD GRÅ 72323405

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

## 1.3 Details of the supplier of the safety data sheet

#### NATIONAL MANUFACTURER/IMPORTER

EnterpriseALEXANDER BINZEL ABAddressRINGUGNSGATAN 4Postal code216 16 LIMHAMN

Country SVERIGE

**Telephone** +46 40 699 1750

#### 2 Hazards identification

#### 2.1 Classification of the substance or mixture

**DPD Classification:** 

**CLP Classification:** 

Most important HSE hazard effects:

#### 2.2 Label elements

Signal word: None

EC-Label: No

COMPOSITION

Wolfram (90 - 100 %), Ceriumoxid (1 - 3 %)

### 2.3 Other hazards

### OTHER HAZARDS

Protracted exposure to welding fumes may cause damage to the lungs. Inhalation of high contents may cause headache, nausea and dizziness. Inhalation may cause smarting in the nose and throat. May be irritating to eyes. May have a drying effect.

## 3 Composition/information on ingredients

#### 3.2 Mixtures

Ingredient name	Reg.No	EC No.	CAS No.	Conc. (wt%)	DPD-Classification	CLP-classification
Wolfram			7440-33-7	90 - 100 %	R67	STOT SE 3 H336
Ceriumoxid		215-150-4	1306-38-3	1 - 3 %		

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.

### 4 First aid measures



### **WOLFRAMELEKTROD GRÅ 72323405**

Last changed: 23/08/2012 Replaces date: 31/08/2010 Internal No: 72323405

#### 4.1 Description of first aid measures

#### INHALATION

Move the exposed person to fresh air at once.

#### INGESTION

Rinse the mouth with water. Contact physician if larger quantity has been consumed.

#### SKIN CONTACT

Wash skin with soap and water. In the event of burn injury: Cool immediately with large quantities of water. Contact physician.

#### **EYE CONTACT**

Rinse thoroughly with water until the irritation subsides. Get medical attention if any discomfort continues.

#### **GENERAL**

Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention if any discomfort continues. Show this safety data sheet, if possible. Keep the injured person warm and relaxed.

## 4.2 Most important symptoms and effects, both acute and delayed

## 4.3 Indication of any immediate medical attention and special treatment needed

## 5 Fire-fighting measures

### 5.1 Extinguishing media

## SUITABLE EXTINGUISHING MEDIA:

Extinguishing agent: cement or dry sand. Salt

### UNSUITABLE EXTINGUISHING MEDIA

Do not use water.

#### **EXTINGUISHING METHODS**

Use a respirator and other protective equipment.

## 5.2 Special hazards arising from the substance or mixture

## SPECIAL HAZARDS

Note the risk of dust explosion. High concentrations of dust may form explosive mixture with air.

### 5.3 Advice for fire-fighters

#### OTHER INFORMATION

Vapours that are harmful to health are formed on heating.

### 6 Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

### PERSONAL PRECAUTIONS

Use personal protective equipment.

## 6.2 Environmental precautions

#### **ENVIRONMENTAL PRECAUTIONS**

Prevent the spillage from reaching watercourses or the sewage system and contaminating the soil and vegetation. Inform the emergency service in the event of major spillage.



### **WOLFRAMELEKTROD GRÅ 72323405**

Last changed: 23/08/2012 Replaces date: 31/08/2010 Internal No: 72323405

## 6.3 Methods and material for containment and cleaning up

#### **METHODS AND MATERIAL**

Smaller spill: Flush with plenty of water to clean spillage area. Major spillage should be banked with sand, earth or other inert absorption material and collected.

## 6.4 Reference to other sections

### 7 Handling and Storage

## 7.1 Precautions for safe handling

#### PRECAUTION FOR SAFE HANDLING

Use only in well-ventilated areas. If necessary, boosted ventilation, e.g. local extraction.

## 7.2 Conditions for safe storage, including any incompatibilities

## CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

Keep in a cool place. Store dry.

#### 7.3 Specific end uses

## 8 Exposure controls / Personal protection

### 8.1 Control parameters

#### 8.2 Exposure controls

## APPROPRIATE ENGINEERING CONTROLS

Use welding gloves, helmet with visor and filter glass or face mask with filter glass.

#### **EYE PROTECTION**

Use eye protection.

## SKIN PROTECTION

Use suitable protective clothing, as necessary. Wash skin with soap and water. Use appropriate hand lotion to prevent defatting and cracking of skin.

### HAND PROTECTION

Use protective gloves. Wash skin with soap and water.

### RESPIRATORY PROTECTION

In case of insufficient ventilation, wear suitable respiratory equipment.

## 9 Physical and chemical Properties

## 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Rods.

COLOUR Grey.

ODOUR Odourless.

**SOLUBILITY** Insoluble in water.



## **WOLFRAMELEKTROD GRÅ 72323405**

Last changed: 23/08/2012 Replaces date: 31/08/2010 Internal No: 72323405

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	~ 3400 °C		
Freezing point	No data		
Initial boiling point and boiling range	~ 5900 °C		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

9.2 Other safety information

Parameter	Value/unit	Method/reference	Observation
Density	19 - 19,1 g/cm³	20°C	

Note no.	Comments	
----------	----------	--

## 10 Stability and Reactivity

## 10.1 Reactivity

### 10.2 Chemical stability

## CHEMICAL STABILITY

Stable under recommended storage and handling conditions.

## 10.3 Possibility of hazardous reactions

## 10.4 Conditions to avoid

#### CONDITIONS TO AVOID

Avoid dust formation.

## 10.5 Incompatible materials

## 10.6 Hazardous decomposition products:

## 11 Toxicological information

## 11.1 Toxicological effects

#### **ACUTE TOXICITY - DERMAL**

Avoid dust formation. May be irritating.

## **ACUTE TOXICITY - INHALATION**

Avoid dust formation. May irritate the respiratory organs. When welding, smoke and gases may be formed that are harmful to health.

#### SERIOUS EYE DAMAGE/IRRITATION

Avoid dust formation. May be irritating to eyes.



## **WOLFRAMELEKTROD GRÅ 72323405**

Last changed: 23/08/2012 Replaces date: 31/08/2010 Internal No: 72323405

## 12 Ecological information

## 12.1 Toxicity

## 12.2 Persistence and degradability

## 12.3 Bioaccumulative potential

## 12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

## 12.6 Other adverse effects

#### OTHER INFORMATION

Insoluble in water. Not degradable. Must not be discharged into the sewage system.

## 13 Disposal considerations

## 13.1 Waste treatment methods

#### **GENERAL REGULATIONS**

Can be dumped as landfill or incinerated in accordance with local regulations.

## **CATEGORY OF WASTE**

EWC-kod 20 01 4

## 14 Transport information

Classified as Dangerous Goods: No

Land transport	t (ADR/RID)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Hazard ID:	Not applicable.	Tunnel restriction code	Not applicable.	

Inland water ways transport (ADN)				
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Enviromentally hazardous in tank-vessels	Not applicable.			



## **WOLFRAMELEKTROD GRÅ 72323405**

Replaces date: 31/08/2010 Internal No: 72323405 Last changed: 23/08/2012

hazards

Sea transport (IMDG)

14.4 Packing 14.1 UN-No. Not applicable. Not applicable.

group 14.2 Proper Not applicable. 14.5

Not applicable. Shipping Environmental

Name Not applicable.

14.3 Class(es)

Not applicable. Sub Risk:

IMDG Code Not applicable. segregation group

Marine Not applicable. pollutant

EMS: Not applicable.

Air transport (ICAO-TI / IATA-DGR)

14.1 UN-No. 14.4 Packing Not applicable. Not applicable.

group

14.2 Proper Not applicable. 14.5 Not applicable.

Shipping Environmental Name hazards

14.3 Not applicable. Class(es) Hazard Not applicable. label(s)

## 15 Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2 Chemical Safety Assessment

## 16 Other information

#### LIST OF RELEVANT R-PHRASES

Vapours may cause drowsiness and dizziness.

## LIST OF RELEVANT H-STATEMENTS

H336 May cause drowsiness or dizziness.