

#### ELEKTROD R 40 205920200

Last changed: 18/06/2012 Internal No: 205920200

#### 1 Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

### 1.3 Details of the supplier of the safety data sheet

### NATIONAL MANUFACTURER/IMPORTER

**Enterprise** Luna Verktyg & Maskin AB

Postal code 441 80 Alingsås

**Country** Sverige

E-mail mikael.olsson@luna.se

 Internet
 www.luna.se

 Telephone
 +46 322 60 60 00

 Fax
 +46 60 64 43

#### **CONTACT PERSONS**

Name E-mail Telephone Country

Mikael Olsson

### 2 Hazards identification

### 2.1 Classification of the substance or mixture

**DPD Classification:** 

**CLP Classification:** 

Most important HSE hazard effects:

### 2.2 Label elements

Signal word: None

EC-Label: No

### COMPOSITION

Mn (0,6 %), Si (0,4 %)

#### 2.3 Other hazards

### 3 Composition/information on ingredients

#### 3.2 Mixtures

Ingredient name	Reg.No	EC No.		Conc. (wt%)	DPD-Classification	CLP-classification
Mn			7439-96-5	0,6 %		
Si			7440-21-3	0,4 %	,	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335

Full text of R-, H- and EUH-phrases: see section 16.

The EUH hazard statements mentioned in CLP-classification are only label elements.



ELEKTROD R 40 205920200
Last changed: 18/06/2012 Internal No: 205920200
4 First aid measures
4.1 Description of first aid measures
INHALATION
During welding fume can be inhaled: bring patient in fresh air, breath in fresh air deeply. Contact physician if necessary
INGESTION
Not applicable.
SKIN CONTACT
Not applicable.
EVE CONTACT
EYE CONTACT  Not applicable.
пот аррисавіс.
4.2 Most important symptoms and effects, both acute and delayed
4.3 Indication of any immediate medical attention and special treatment needed
5 Fire-fighting measures
5.1 Extinguishing media
SUITABLE EXTINGUISHING MEDIA:  Fire can be extinguished with earlier dievide, powder, from an water spray.
Fire can be extinguished with carbon dioxide, powder, foam or water spray.
5.2 Special hazards arising from the substance or mixture
5.3 Advice for fire-fighters
6 Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures
PERSONAL PRECAUTIONS
No special precautions required.
6.2 Environmental precautions
ENVIRONMENTAL PRECAUTIONS
No special precautions required.
6.3 Methods and material for containment and cleaning up
METHODS AND MATERIAL
Dumped according to local and national regulations.
6.4 Reference to other sections
7 Handling and Starage
7 Handling and Storage
7.1 Precautions for safe handling
PRECAUTION FOR SAFE HANDLING
No special precautions required.

7.2 Conditions for safe storage, including any incompatibilities



#### **ELEKTROD R 40 205920200**

Last changed: 18/06/2012 Internal No: 205920200

#### CONDITION FOR SAFE STORAGE, INCLUDING ANY UNCOMPATIBILITIES

No specific storage precautions noted.

### 7.3 Specific end uses

### 8 Exposure controls / Personal protection

### 8.1 Control parameters

#### 8.2 Exposure controls

### APPROPRIATE ENGINEERING CONTROLS

In case od dust or smoke: keep foodstuffs sealed

Avoid direct contact. Protective clothing must be stored separately from other clothing.

Wash your hands thoroughly after handling and before eating or smoking.

#### **EYE PROTECTION**

Use eye protection.

#### SKIN PROTECTION

Use well fitting working clothes
Use a welding helmet during welding

#### HAND PROTECTION

Wear suitable gloves.

#### RESPIRATORY PROTECTION

During welding fumes will be formed The fumecontant is depending on the electrode type and the base material Primarily iron oxid, secondarily complex oxides of manganese may be formed Also ozone and nitrogen dioxide can be formed by arc radiation

Effective ventilation is presupposed or suitable respirator.

#### OTHER INFORMATION

Possible reaction products i welding fume Manganese oxide, ozon, nitrogen dioxid

### 9 Physical and chemical Properties

# 9.1 Information on basic physical and chemical properties

PHYSICAL STATE Electrode



ELEK <sup>-</sup>		D 40	2050	2020	<b>`</b>
ELEN	IRUU	K 40	2037	ノンとい	

Last changed: 18/06/2012 Internal No: 205920200

Parameter	Value/unit	Method/reference	Observation
pH consentrate	No data		
pH in solution	No data		
Melting point	1000 - 1500 °C		
Freezing point	No data		
Initial boiling point and boiling range	No data		
Flash point	No data		
Evaporation rate	No data		
Flammability (solid, gas)	No data		
Flammability limits	No data		
Explotion limits	No data		
Vapour pressure	No data		
Vapour density	No data		
Relative density	No data		
Partition coefficient	No data		
Auto-ignition temprature	No data		
Decomposition temprature	No data		
Viscosity	No data		

### 9.2 Other safety information

Note no.	Comments
ivote no.	Odminents

# 10 Stability and Reactivity

### 10.1 Reactivity

### 10.2 Chemical stability

### 10.3 Possibility of hazardous reactions

#### 10.4 Conditions to avoid

### **CONDITIONS TO AVOID**

Avoid contact with acids and alkalies.

### 10.5 Incompatible materials

### 10.6 Hazardous decomposition products:

# HAZARDOUS DECOMPOSITION PRODUCTS

Not known

# 11 Toxicological information

# 11.1 Toxicological effects

# 12 Ecological information

# 12.1 Toxicity

### **ECOTOXICITY**

Not known

# 12.2 Persistence and degradability

# 12.3 Bioaccumulative potential



### ELEKTROD R 40 205920200

Last changed: 18/06/2012 Internal No: 205920200

### 12.4 Mobility in soil

# 12.5 Results of PBT and vPvB assessment

### 12.6 Other adverse effects

### 13 Disposal considerations

### 13.1 Waste treatment methods

#### **GENERAL REGULATIONS**

Dumped according to local and national regulations.

# 14 Transport information

Classified as Dangerous Goods: No

Land transport (ADR/RID)				
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Hazard label(s)	Not applicable.			
Hazard ID:	Not applicable.	Tunnel restriction	Not applicable.	

Inland water ways transport (ADN)					
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.		
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.		
14.3 Class(es)	Not applicable.				
Enviromentally hazardous in tank-vessels	Not applicable.				

Sea transport	(IMDG)			
14.1 UN-No.	Not applicable.	14.4 Packing group	Not applicable.	
14.2 Proper Shipping Name	Not applicable.	14.5 Environmental hazards	Not applicable.	
14.3 Class(es)	Not applicable.			
Sub Risk:	Not applicable.			
IMDG Code segregation	Not applicable.			
group				
Marine pollutant	Not applicable.			
EMS:	Not applicable.			



### ELEKTROD R 40 205920200

Last changed: 18/06/2012 Internal No: 205920200

hazards

Not applicable.

Air transport (ICAO-TI / IATA-DGR)

14.4 Packing 14.1 UN-No. Not applicable. Not applicable.

group 14.2 Proper Not applicable.

14.5 Shipping Environmental

Name

14.3 Not applicable. Class(es)

Hazard Not applicable. label(s)

# 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment

#### OTHER INFORMATION

Warning do not inhale welding fumes Medium acute toxicity. Risk of injuries with long term or frequent inhalation. Ensure that ventilation is good. See the Safety Data Sheet for the type of electrode in question.

### 16 Other information

# LIST OF RELEVANT R-PHRASES

R36/37/38 Irritating to eyes, respiratory system and skin.

### LIST OF RELEVANT H-STATEMENTS

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.